


BELLA ·
CENTER
· COPEN
HAGEN

TEKNISK INFO


TECHNICAL INFO

GROUND FLOOR

METRO



FIRST FLOOR



Indholdsfortegnelse

På de kommende sider finder du nyttige informationer om vores udstillingshaller samt de udstillervilkår, der gælder for alle udstillinger. Reglerne er lavet for at sikre, at alle udstillere kan få de optimale forhold under et arrangement, hvorfor vi beder dig læse dem grundigt. Har du yderligere spørgsmål, er du velkommen til at kontakte Bella Center.

Contents

On the following pages, you will find detailed information on our exhibition halls as Exhibitor terms and conditions that apply for every exhibition. The rules have been made to help ensure optimum conditions for all exhibitors during an event. Please read them carefully. If you have additional questions, please contact Bella Center.

□ Bella Center oversigt	□ <i>Bella Center floor plan</i>	2
■ Indholdsfortegnelse	■ <i>Contents</i>	3
■ Kongressal A – opbygning og plantegning	■ <i>Congress Hall A – a brief description</i>	4-5
■ Auditorium Foyer – opbygning og plantegning	■ <i>Auditorium Foyer – a brief description</i>	6-7
■ Kongres Foyer – opbygning og plantegning	■ <i>Congress Foyer – a brief description</i>	8-9
■ Hal B – opbygning og plantegning	■ <i>Hall B – a brief description</i>	10-13
■ Hal HB3 / HB4 – opbygning og plantegning	■ <i>Halls HB3 / HB4 – a brief description</i>	14-15
■ Hal C – opbygning og plantegning	■ <i>Hall C – a brief description</i>	16-18
■ Hal C5 – opbygning og plantegning	■ <i>Hall C5 – a brief description</i>	19-20
■ Hal E / Centerhallen – opbygning og plantegning	■ <i>Hall E / Center Hall – a brief description</i>	21-23
■ Hal H / Østhallen – opbygning og plantegning	■ <i>Hall H / East Hall – a brief description</i>	24-26
■ Udstillervilkår		27-32
	■ <i>Exhibitor Terms and Conditions (UK)</i>	33-38

For information on how high you can build your stand / hang banners, please refer to the technical floor plan. Build height limits will depend on the exact location of your stand. The ceiling heights is no only information that has been taken under consideration, when limits were established.

Hal C

– sådan ser den ud

Adgang til hallen

På tegningen kan du se numrene for de enkelte porte, der giver adgang til hallen.

Hallens frihøjder

Hver af hallens fire sektioner har sin egen frihøjde, målt fra gulv til underkant lamper:

C1: 4,30m, C2: 5,85m, C3: 6,85m, C4: 6,85m. Se side 18.

Belysning

Hallen er udstyret med permanent rigkonstruktion og messe-lamper. Løsningen kan tilkøbes jævnt tilbud. Til den generelle belysning hænger der lysarmaturer. (3 x 58 W)

Gulv

Gulvet er gråmalet beton (farvekode Ral 7038). Installation af el og VVS med videre sker via kanaler i hallens betongulv. Kanalernes indbyrdes afstand er 6 m.

Gulvet kan klare følgende belastninger:

Hjultryk (tvillingehjul)	5.500 kg/m ²
Enkeltkraft fordelt på 15x15 cm	4.000 kg
Nyttelast*	4.000 kg/m ²

* Vægten af en lastbils last ud over lastbilens egen vægt.

Wirer

Detailtegningen indeholder information om riggepunkternes placering. Wireophæng over 50 kg kan ikke monteres overalt i hallen. Bella Center forbeholder sig ret til at udføre småjusteringer.

Loft

Netværk trækkes fra loftet og ned til standene.

Søjler

De fritstående søjler i hallen er 40 x 80 cm og placeret for hver 9 meter. Søjlerne i ydervæggene er 35 x 40 cm.

Luft

Hallen har aircondition.

Hal C



3x3 m modul

- Søjle 40x80 cm
- Brandskab, L75xB25xH85 cm, må ikke tildækkes
- Slangevinder, må ikke tildækkes
- - - Gulvkanaler med installationer
- - - Hallens frihøjder
- Ventilation
- ▨ Ingen wireophæng
- ▨ Ingen wireophæng. Højde til underkant af ventilationsafskærmning 290 cm
- ▨ Wire max 15 kg
- Riggepunkt
- El bakker
- Skrå afstivning
- Lysrig med spot

Hall C – a brief description

Accessing the hall

Please refer to the floorplan where access points are indicated.

Ceiling heights

Each of Hall C's four sections has its own ceiling height, measured from the floor to the lower edge of the lighting truss:

C1: 430cm, C2: 585cm, C3: 685cm, C4: 685cm.

Please see page 18.

General lighting

The hall is equipped with permanent lighting truss. The solution is offered according to quote. General hall light fittings (3 x 58 W)

Floor

The floor is concrete, painted light grey (colour code Ral 7038). Power supplies, telephone lines, plumbing and compressed air installations will, where possible, all be run into your stand via the subfloor services duct set into the floor at 6 m intervals.

The floor can carry the following loads:

Wheel loads (twin wheels)	5,500 kg per sq.m.
Single point loads per 15x15 cm	4,000 kg
Net loads*	4,000 kg per sq.m.

* (load minus weight of truck)

Drop wires

The detail sketch contains information about the placement of rigging points. Drop wires for 50+ kg cannot be mounted in all locations in the hall. Bella Center reserves the right to make minor adjustments.

Ceiling

Networking cabling will be supplied from the ceiling.

Pillars

40 x 80 cm free-standing concrete pillars line the arcade sections running east/west, at intervals of 9 m. Pillars let into the outer walls measure 35x40 cm wide.

Air

The hall has air conditioning.


Hall C



3x3m modular grid

- Pillar (concrete) 40x80 cm
- Fire hose, cabinet L75xW25xH85 cm - must not be concealed
- Fire hose, drum - must not be concealed
- - - Sub-floor service ducts
- - - Ceiling height
- Air conditioning
- ▨ No drop wires
- ▨ No drop wires. Hight from floor to lower edge of the ventilation screen is 290 cm
- ▨ Wire max 15 kg
- Rigging point
- Cable duct
- Cross-bracing
- Lighting truss with spot


Hal-C, Gulv Hall-C, Floor




Snit
Elevation

Centerhal
Centerhall


Udendørsområde
Outdoor area



10 m
1:750




Hal-C, Loft
Hall-C, Ceiling




Centerhal
Centerhall

Udendørsområde
Outdoor area



10 m
1:750



Hal E / Centerhallen

– sådan ser den ud

Adgang til hallen

På tegningen kan du se numrene for de enkelte porte, der giver adgang til hallen.

Hallens frihøjde

Hallens frihøjde, målt fra gulv til underkant af rig messelampe er 9,30 m. Se side 22-23.

Belysning

Hallen er udstyret med permanent rigkonstruktion og messelamper. Løsningen kan tilkøbes jævnfør tilbud. Til den generelle hal belysning hænger der lysarmaturer (3x58 W).

Bemærk venligst, at på bestemte tidspunkter på året, kan sollys igennem glastaget, være til gene ved brug af pc, video, osv.

Gulv

Installation af el, WS og netværk med videre sker via kanaler i hal- lens betongulv. Kanalerne ligger i hallens længderetning med en indbyrdes afstand på 15 m.

Gulvet kan klare følgende belastninger:

Hjultryk (tvillingehjul)	5.500 kg/m ²
Enkeltkraft fordelt på 15x15 cm	4.000 kg
Nyttelast*	4.000 kg/m ²

* Vægten af en lastbils last ud over lastbilens egen vægt.

Søjler

Hallens betonsøjler er 40x40 cm eller 40x80 cm.

Luft

Hallen har aircondition.

Hall E / Center Hall – a brief description

Accessing Center Hall

Please refer to the floor plan where access points are indicated.

Ceiling height

The ceiling height measured from the floor to the lower edge of the lighting truss is 9,30 m. Please see page 22-23.

General lighting

The hall is equipped with permanent lighting truss. The solution is offered according to quote. General hall light fittings (3x58 W).

Please note that at certain times of the year, sunlight from the glass roof can cause inconvenience with reflected light when using pc's, videos etc.

Floor & services

Power supplies, network and telephone cables as well as plumbing and compressed air will, where possible, be supplied via the sub-floor service ducts let into the Centre Hall's concrete floor. These run from north to south at 1 500 cm intervals throughout the length of the hall.

The floor can carry the following loads:

Wheel loads (twin wheels)	5,500 kg per sq.m.
Single-point loads per 15x15 cm	4,000 kg
Net loads*	4,000 kg per sq.m.

* (load minus weight of truck)









Pillars

A limited number of free-standing concrete pillars are to be found in the northern end of the hall. These measure 40x40 cm or 40x80 cm.









Air

The hall has air conditioning.

Hal E (Centerhal)


	3x3 m modul
	Søjle 40x80 cm
	Søjle 40x40 cm
	Brandskab, L75xB25xH85 cm, må ikke tildækkes
	Gulvkanaler med installationer
	Foldevæg
	Ingen standopbygning
	Lysrig med spot

Hall E (Center Hall)


	3x3 m modular grid
	Pillar (concrete) 40x80 cm
	Pillar (concrete) 40x40 cm
	Fire hose, cabinet L75xW25xH85 cm – must not be concealed
	Sub-floor service ducts
	Folding Wall
	No Build-up
	Lighting truss with spot




Hal E / Centerhal

Hall E / Center Hall



Snit 1
Section 1







EXHIBITOR TERMS

Please read the following exhibitor terms and conditions. If you have any questions, please do not hesitate to get in touch. We look forward to working together!

INVOICING

Bella Center Copenhagen invoices services and supplies which have been ordered for stand build-up, stand furnishing, serving etc. prior to the event.

Please note that payment must be made before the start of the event. Remember that, as an exhibitor, you are responsible for payment - regardless of whether the deliveries have been ordered by you or your supplier.

Prices cover the duration of the event (max. five days and are exclusive of VAT).

We ask all our customers to provide a VAT/central business register (CVR) number. A company registration number can also be used if your company does not have a VAT/CVR no. This information must be submitted when placing an order.

Orders may be revised after the invoice has been issued against a surcharge of DKK 250 per invoice.

DELIVERIES

Deliveries which have been ordered prior to the deadline via Bella Center Copenhagen will be ready for the first stand build-up day.

If you place an order after the deadline, it may be necessary to pay a surcharge (see StandInfo). Therefore, it is a good idea to place orders in good time as we cannot guarantee that orders received after deadline can be processed. Our deadline is usually four weeks before the event to ensure that we can provide all the services on time and at the agreed price.

Also, if you want to cancel an order, remember to do so in good time. An order becomes binding 21 days before the event.

If your deliveries need to be made to a particular place, this should be shown on a detailed drawing submitted with the order. Furniture is always placed arbitrarily on the stand.



BELLA CENTER COPENHAGEN

**Center Boulevard 5
DK-2300 Copenhagen S**

M info@bellacenter.dk

T +45 3252 8811

W bellacentercopenhagen.dk



STAND BUILD-UP

We hope that you will do everything you can to help us look after the floors, stand walls, signage and other stand material. It is therefore not permitted to screw, glue, paint or in any other way cause damage to Bella Center's buildings or equipment. If you unexpectedly damage our interiors/building components, we will be obliged to invoice you accordingly.

Only Bella Center Copenhagen's staff is permitted to affix wires, mount/dismount Bella Center Copenhagen's walls, fascia boards, spots etc. For safety reasons, at least two wires must be ordered for setting up banners, signs or similar. For safety reasons, it is forbidden to load the wires, so if you need to lift equipment, you should use chain blocks in rigging points. Bella Center Copenhagen must establish the rigging point, but you can use it to mount your own chain block.

**» Do you have questions about or need help with stand build-up?
- Please contact us so that we can find a solution. «**

If you need to use sticking material on Bella Center Copenhagen's stand walls, floors or fascia boards, you must use Duplo-Coll 43102, Tesa tape 4964 or TESA Power-Strips, as these can be removed easily without leaving marks/glue residue. All three tapes as well as wall hooks for lightweight items such as poster frames can be purchased on site. Please note that if you fail to remove sticking material residues from stand surfaces, floors etc. on departure, you will be invoiced for cleaning.

If you fail to remove stand materials and your own carpets from the stand, we will ensure that they are removed and environmentally sorted. You will be invoiced for this service.

Tradesmen who paint your stand must remember to lay protective covering on the floor, so that carpets and floors are not damaged by paint etc.

If you have a general room or a meeting or conference room for more than 10 persons, it is necessary to establish two exit doors at opposite ends.

Important! Read the Fire section - it contains further information in relation to the official requirements!



Elevated stands, high podiums or structures with heavy goods

If you want to build a two-storey stand or use high podiums in your stand area, it must be authorised by the building authorities. The same applies to structures with heavy goods. You must apply via Bella Center Copenhagen (application with technical drawings and any photographic material). The material must be submitted together and by the deadline, which is usually four weeks before the event (see StandInfo). Please note that two-storey stands must always have two stairway exits. Please get approval from the event organizer before you contact Bella Center Copenhagen.



Specially built stands

Do you have any special wishes regarding how your stand should be built? Please contact us so we can meet your needs while adhering to the rules for stand build-up.

INSURANCE/LIABILITY

Protect yourself against theft and accidents! We recommend that you take out the necessary insurance coverage for your own property, as this will not be covered by Bella Center Copenhagen's insurance.

Bella Center Copenhagen cannot be held liable for exhibitors' property (private or company property), even in the case of simple theft.



GOODS DISPATCH


If you need to have packages and goods sent to Bella Center Copenhagen, you have the following options:

Packages and goods arriving before stand build-up:

As our storage capacity is limited, you should be aware that the forwarder receives and stores your package/goods and will deliver them directly to you on the stand once you arrive. You will be invoiced for this service.

Packages and goods arriving during stand build-up:

Here, you must ensure that couriers are supplied with the correct name of the trade show, company name, telephone number and stand number, and you also need to ensure that you are on the stand to receive and sign for deliveries. If not, couriers are referred to the forwarder, which receives and stores your package/goods and delivers them directly to you on the stand. You will be invoiced for this service.



GOOD NEIGHBOURLY RELATIONS



- Make sure that your stand build-up and exhibition materials remain within the stand area during the exhibition for the sake of cleaning, escape routes etc.
- Avoid lights, sounds, smells etc. which can irritate your neighbours. This also applies to the distribution of products/food which require extra cleaning of the aisles.
- If you have to play music/show films, then remember to inform your neighbours about which sound demos you will be carrying out as well as when and for how long.
- Dogs, cats and other pets are not permitted on Bella Center Copenhagen's premises unless otherwise stated or agreed with Bella Center.

DANISH WORKING ENVIRONMENT AUTHORITY

Everyone working at Bella Center Copenhagen must comply with the rules of the Danish Working Environment Authority at www.arbejdstilsynet.dk (tel.: +45 7012 1288).

POWER AND ELECTRICAL INSTALLATIONS

Power

24-hour power will be connected from the first stand build-up day and up to and including the day after the end of the exhibition at 12:00. If you need a power connection for longer, this can be arranged.

Electrical installations

Check whether the electrical installations on your stand comply with the Danish Safety Technology Authority's regulations for installations at trade shows and on stands. See more on the Danish Safety Technology Authority's (Sikkerhedsstyrelsen) website (section 6, described in detail in chapter 711). This requirement must be complied with before we can supply power to your stand.

Be careful not to obstruct the distribution boards, as Bella Center Copenhagen's staff need to have access to them. Please ask if you are in doubt.

FOOD & BEVERAGE



Bella Center Copenhagen's food and beverage (F&B) department has exclusive rights to serve food and drinks in the exhibition area, and as an exhibitor you must therefore not sell food or drinks on your stand. If you want to serve food and beverage samples on your stand, please email Bella Center Copenhagen's F&B department beforehand to make an agreement at f&b.orders@bellacenter.dk

This policy is due to the fact that Bella Center Copenhagen's F&B department is responsible for ensuring compliance with the environmental and hygiene laws and regulations of the Danish authorities. If you contact Bella Center Copenhagen's F&B department in advance, we can approve your company in relation to the requirements specifications, so that the regulations for storing and serving food are complied with. Following approval, your business will also be covered by the F&B department's license to serve beer, wine and spirits.

At food fairs, it is certainly possible to serve samples of your own products, as long as you comply with the requirements covering hygiene and waste disposal.

If the food is produced in advance, you have to comply with the three-hour rule for unrefrigerated storage (once the food has been taken out of a refrigerator, it must be discarded after three hours). If food needs to be produced on the stand, it is necessary to have running cold/hot water and a sink, and refrigeration facilities are required for storing raw ingredients.

If you want to prepare food on your stand using a stove with gas hobs, you must ensure there is a 6 kg CO2 fire extinguisher and fire blanket available.

If you are in doubt about the rules, please send an email to the above email address.

VEHICLES IN THE HALLS, UNLOADING AND PARKING

- During stand build-up and breakdown, vehicles are not allowed in the halls without special permission from the organizer and security.
- After unloading, you must park in the designated parking bays or leave the area completely.
- If you have large and heavy items for your stand, this should be agreed with us before the exhibition. Then, if necessary, we can transport your items into the halls before stand build-up commences..
- Try not to obstruct the aisles so as to ensure free passage for others.
- You are responsible for unloading items and transporting them to the stand, but it is possible to order truck assistance from the local forwarder in advance. The forwarder will also store empty cardboard boxes etc. during the event so they do not get in your way. Please note that empty packaging material placed in the aisles will be removed by the forwarder on the last build-up day at closing time so the aisles can be cleaned. The forwarder will invoice you for this service. Empty packaging material will not be removed from your stand unless this is agreed in advance.

MUSIC, SOUND AND FILMS

If you wish to play music on your stand, remember to inform Koda and Gramex. Visit www.koda.dk or www.gramex.dk for more information about the rules. Please be aware that this is your responsibility.

If you would like to show films/videos or parts thereof, this also requires the permission of the copyright holders. For more information, visit the Motion Picture Licensing Company at www.mplc.dk/paraplylicens

If you require a mixing console on your stand, you must have a hand-held fire extinguisher (CO2 extinguisher) available.



FIRE

The Danish Emergency Management Act (Beredskabsloven) paragraph 71:

The following shall be punishable by a fine:

1. Any individual who fails to exercise proper caution in the use of fire, light, matches, ash, inflammable substances, and any other substances or articles which may cause or contribute to fire, or who fails to ensure that persons belonging to the household or enterprise of the individual exercise such caution; and
2. Any individual who owns or makes use of electrical devices or other light, heating, power plant or machinery, which may cause or contribute to fire, or who makes use of such systems or devices or allows them to be used, regardless of them not being in good condition.

It is therefore extremely important that you check the following points and ensure you that your stand complies with the following:

- Coffee-makers, electric kettles, photocopiers/printers, refrigerators and other electrical appliances in backrooms require that you mount a CO2 hand-held fire extinguisher (min. 5 kgs.) which is visible and accessible.
- Bioethanol stoves must be installed according to the supplier's instructions and safety specifications. It is not permitted to carry out any type of fuel decanting within exhibition opening hours. Moreover, it is not permitted to store any reserve fuel on the stand, and the stove's combustion chamber must be covered at closing time if the stove still contains fuel. Appropriate fire extinguishing equipment must be available on the stand.
- Nothing containing inflammable or explosive liquids may be brought into the halls unless so agreed with us.
- Candles create a nice mood, but also pose a fire risk. It is therefore imperative that candles cannot tip over and that they are placed in solid candlesticks on non-flammable surfaces. Candles must not be placed near textiles, and they must not drip. If they pose a safety hazard, Bella Center Copenhagen may require that the candles are extinguished.
- All fire technical installations such as emergency exits, fire hoses, fire cabinets, call points and fire alarms must not be hidden, obstructed or covered.
- Empty flammable packaging and stock must be continually removed from the hall.
- Use of smoke or pyro must be arranged with Bella

WIRELESS NETWORK

If you want to establish your own wireless network on the stand, it must be approved by Bella Center Copenhagen IT. IT connections supplied by Bella Center Copenhagen must not be shared with a third party.

Covered stands

As all the halls have a sprinkler system in the event of a fire, it is only permissible to cover your stand with fireproofed and water permeable fabric. It is also possible to construct a ceiling with solid materials or as an evenly distributed panelled/louvred ceiling - however only covering max. 40% of the covered area.

All stands which have been built with two storeys must be covered by a sprinkler system - this also applies to waterproof ceilings, closed rooms as well as vehicles, containers etc. which are not sales articles but are only used for decoration. Dispensation may be granted for actual sales items if they do not exceed 9 m².

The sprinkler system can be installed by Bella Center Copenhagen, and we are happy to provide a non-binding quotation for the work. Connection to main sprinkler pipes must always be undertaken by Bella Center Copenhagen. The rest of the sprinkler system may be installed by Bella Center Copenhagen or another authorised technician (according to SKAFOR's regulations).

Materials:

- Avoid using paper, cardboard, plastics, artificial flowers/decorations/plants etc. which are readily combustible, explosive, melt, drip or which, in a fire, emit toxic gases or large quantities of smoke.

According to the Regulation on operational requirements for hotels, etc. (Bekendtgørelsen om driftsmæssige forskrifter for hoteller m.v.), 14.6/14.7, all decoration material must be safeguarded as class B. However, certain items can be impregnated, for example artificial flowers. In general, materials must not be more flammable than wood.

- If you need wood floors on your stand, please note that it must not be laid like a grating with gaps or with underlying cavities.

Carpets must have one of the following approvals:

- Class G flooring as in DS-1063.2 - in accordance with Danish Building Regulations '95, chapter 6.11.1 section 5.
- Class Dfl-s1 flooring is classified according to EN 13501 Fire classification of construction products and building elements
- NT Fire 007 (Scandinavian approval).

Gas cylinders (max 11 kgs):

If you need gas cylinders, bottled gas (F-gas) or other types of gas cylinders (e.g. oxygen, hydrogen or helium), we need to know at least four weeks before the start of the event. In the event of fire at Bella Center Copenhagen, we have to be able to supply Copenhagen Fire Brigade with a complete overview of where gas cylinders are located on the premises. If you have gas cylinders (F-gas) on the stand, you are also required to have a 6 kg powder fire extinguisher. Gas cylinders (F-gas equipment) must always be installed in compliance with the Regulation on technical requirements for gases (Bekendtgørelsen om tekniske forskrifter for gasser), while F-gas installations must always comply with the Danish Gas Regulation.

In addition, particularly hazardous gas cylinders must be removed from the halls after closing time and stored according to our instructions. During exhibition opening hours, those manning the stand must be able to remove these cylinders in the event of an evacuation. This plan is coordinated with our Risk Management unit when we receive information about the storage and use of gas cylinders.

Vehicles

If you would like to have a vehicle on your stand for decoration purposes, you must submit an application to Bella Center Copenhagen with a drawing and description before the deadline, which is usually four weeks before the event (see Stand-Info).

The following guidelines apply:

Petrol/diesel-powered vehicles:

- The tank may contain max. 5 l of fuel
- The fuel cap must be unlocked
- The battery must be disconnected unless a CO₂ fire extinguisher (min. 5 kgs) is placed at the vehicle.
- If more than one vehicle on stand area, a minimum of 3 m. distance between the vehicles is a demand.
- The keys must be handed to Comwell Conference Center Copenhagen's security staff at night. The security staff will be on duty in the halls or can be contacted on tel. +45 3247 2424

Electric vehicles:

You must be able to produce documentation which can be used to approve the following:

- Factory-manufactured electric vehicles must be fitted with a mechanical, cable-deactivated parking brake.
- The gearbox must also be mechanically locked by a steel latch that engages with the gearbox.
- The key must be removed from the ignition system.
- The handbrake must be activated.

Unfortunately, we cannot allow hydrogen vehicles on the stand. Natural gas vehicles can be accepted on the usual conditions which apply for petrol and diesel vehicles. However, all pressure must be removed from the gas tank.